

```

import boto3
from botocore.exceptions import ClientError

def send_email():
    SENDER = "prabakaranjeeva2000@gmail.com" # must be verified in AWS SES
    Email

lst=["prabakaran.s@ckcet.ac.in","seenivasan.s@ckcet.ac.in","devanathan.s@ck
cet.ac.in"]
    for i in range(0,len(lst)):
        RECIPIENT = lst[i] # must be verified in AWS SES Email

        # If necessary, replace us-west-2 with the AWS Region you're using
    for Amazon SES.
        AWS_REGION = "us-east-1"

        # The subject line for the email.
        SUBJECT = "This is test email for testing purpose..!!"

        # The email body for recipients with non-HTML email clients.
        BODY_TEXT = ("Hey Hi...\r\n"
                    "This email was sent with Amazon SES using the "
                    "AWS SDK for Python (Boto).")

        # The HTML body of the email.
        BODY_HTML = """<html>
<!DOCTYPE html>
<html lang="en" xmlns="http://www.w3.org/1999/xhtml"
xmlns:o="urn:schemas-microsoft-com:office:office">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="x-apple-disable-message-reformatting">
<title></title>
<!--[if mso]>
<noscript>
<xml>
<o:OfficeDocumentSettings>
<o:PixelsPerInch>96</o:PixelsPerInch>
</o:OfficeDocumentSettings>
</xml>
</noscript>
<![endif]-->
<style>
table, td, div, h1, p {font-family: Arial, sans-serif;}

```

```

</style>
</head>
<body style="margin:0;padding:0;">
  <table role="presentation"
style="width:100%;border-collapse:collapse;border:0;border-spacing:0;backgr
ound:#ffffff;">
    <tr>
      <td align="center" style="padding:0;">
        <table role="presentation"
style="width:602px;border-collapse:collapse;border:1px solid
#cccccc;border-spacing:0;text-align:left;">
          <tr>
            <td align="center" style="padding:40px 0 30px
0;background:#70bbd9;">
              
            </td>
          </tr>
          <tr>
            <td style="padding:36px 30px 42px 30px;">
              <table role="presentation"
style="width:100%;border-collapse:collapse;border:0;border-spacing:0;">
                <tr>
                  <td style="padding:0 0 36px 0;color:#153643;">
                    <h1 style="font-size:24px;margin:0 0 20px
0;font-family:Arial,sans-serif;">Welcome to Innovative Codes Academy !</h1>
                    <p style="margin:0 0 12px
0;font-size:16px;line-height:24px;font-family:Arial,sans-serif;">On this
website, we will teach and give tutorials about the Programming language,
Cloud Computing, Mobile Application Development, Web Application
Development, Data Analytics in Tableau without using machine learning or
deep learning, Online Application Form Filling, and learning some
technology, Purely based on learning website.</p>
                    <p
style="margin:0;font-size:16px;line-height:24px;font-family:Arial,sans-seri
f;"><a href="http://www.example.com"
style="color:#ee4c50;text-decoration:underline;">"Fly to high"</a></p>
                  </td>
                </tr>
                <tr>
                  <td style="padding:0;">
                    <table role="presentation"
style="width:100%;border-collapse:collapse;border:0;border-spacing:0;">
                      <tr>

```

```

        <td
style="width:260px;padding:0;vertical-align:top;color:#153643;">
        <p style="margin:0 0 25px
0;font-size:16px;line-height:24px;font-family:Arial,sans-serif;"></p>
        <p style="margin:0 0 12px
0;font-size:16px;line-height:24px;font-family:Arial,sans-serif;">Lorem
ipsum dolor sit amet, consectetur adipiscing elit. In tempus adipiscing
felis, sit amet blandit ipsum volutpat sed. Morbi porttitor, eget accumsan
dictum, est nisi libero ultricies ipsum, in posuere mauris neque at
erat.</p>
        <p
style="margin:0;font-size:16px;line-height:24px;font-family:Arial,sans-seri
f;"><a href="http://www.example.com"
style="color:#ee4c50;text-decoration:underline;">Blandit ipsum volutpat
sed</a></p>
        </td>
        <td
style="width:20px;padding:0;font-size:0;line-height:0;">&nbsp;</td>
        <td
style="width:260px;padding:0;vertical-align:top;color:#153643;">
        <p style="margin:0 0 25px
0;font-size:16px;line-height:24px;font-family:Arial,sans-serif;"></p>
        <p style="margin:0 0 12px
0;font-size:16px;line-height:24px;font-family:Arial,sans-serif;">Morbi
porttitor, eget est accumsan dictum, nisi libero ultricies ipsum, in
posuere mauris neque at erat. Lorem ipsum dolor sit amet, consectetur
adipiscing elit. In tempus adipiscing felis, sit amet blandit ipsum
volutpat sed.</p>
        <p
style="margin:0;font-size:16px;line-height:24px;font-family:Arial,sans-seri
f;"><a href="http://www.example.com"
style="color:#ee4c50;text-decoration:underline;">In tempus felis
blandit</a></p>
        </td>
        </tr>
        </table>
    </td>
</tr>
</table>
</tr>
<tr>

```

```

        <td style="padding:30px;background:#ee4c50;">
            <table role="presentation"
style="width:100%;border-collapse:collapse;border:0;border-spacing:0;font-s
ize:9px;font-family:Arial,sans-serif;">
                <tr>
                    <td style="padding:0;width:50%;" align="left">
                        <p
style="margin:0;font-size:14px;line-height:16px;font-family:Arial,sans-seri
f;color:#ffffff;">
                            &reg; Someone, Somewhere 2021<br/><a
href="http://www.example.com"
style="color:#ffffff;text-decoration:underline;">Unsubscribe</a>
                        </p>
                    </td>
                    <td style="padding:0;width:50%;" align="right">
                        <table role="presentation"
style="border-collapse:collapse;border:0;border-spacing:0;">
                            <tr>
                                <td style="padding:0 0 0 10px;width:38px;">
                                    <a href="http://www.twitter.com/"
style="color:#ffffff;"></a>
                                </td>
                                <td style="padding:0 0 0 10px;width:38px;">
                                    <a href="http://www.facebook.com/"
style="color:#ffffff;"></a>
                                </td>
                            </tr>
                        </table>
                    </td>
                </tr>
            </table>
        </td>
    </tr>
</table>
</body>
</html>

```

....

```

# The character encoding for the email.
CHARSET = "UTF-8"

```

```
# Create a new SES resource and specify a region.
client = boto3.client('ses',region_name=AWS_REGION)
```

```
# Try to send the email.
```

```
try:
```

```
    #Provide the contents of the email.
```

```
    response = client.send_email(
```

```
        Destination={
```

```
            'ToAddresses': [
```

```
                RECIPIENT,
```

```
            ],
```

```
        },
```

```
        Message={
```

```
            'Body': {
```

```
                'Html': {
```

```
                    'Data': BODY_HTML
```

```
                },
```

```
                'Text': {
```

```
                    'Data': BODY_TEXT
```

```
                },
```

```
            },
```

```
            'Subject': {
```

```
                'Data': SUBJECT
```

```
            },
```

```
        },
```

```
        Source=SENDER
```

```
    )
```

```
# Display an error if something goes wrong.
```

```
except ClientError as e:
```

```
    print(e.response['Error']['Message'])
```

```
else:
```

```
    print("Email sent! Message ID:"),
```

```
    print(response['MessageId'])
```

```
def lambda_handler(event, context):
```

```
    # TODO implement
```

```
    send_email()
```